

Model

Descriere

Valva de comanda

Racordare int./ies.

Dimensiuni (mm)

Rasina litri

**Debit**

**mc/h**

**I x L x G**

BlueSoft-K10-VR34

Statie de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

3/4"

460 x 195 x 405

5

0.2 - 0.5

BlueSoft-K30-VR34

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

3/4"

670 x 320 x 500

8

0.8 - 1.2

BlueSoft-K50-VR34

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

3/4"

670 x 320 x 500

12.5

1.0 - 1.5

BlueSoft-K70-VR34

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

3/4"

1140 x 320 x 500

18

1.5 - 2.0

BlueSoft-K100-VR34

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

3/4"

1140 x 320 x 500

25

2.0 - 2.5

BlueSoft-N50-VR1

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

1"

670 x 320 x 500

12.5

1.0 - 1.5

BlueSoft-N100-VR1

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

1"

1010 x 320 x 500

25

2.0 - 2.5

BlueSoft-N120-VR1

Statii de dedurizare cu cabinet, cu valva by-pass inclus

RX LED

Control volumetric

1"

1140 x 320 x 500

30

2.5 - 3.0